

Component - Plastics

E194560

**ZHEN JIANG CHI MEI CHEMICAL CO LTD**

DAGANG ECONOMICAL DEVELOPING ZONE, 18 HAN FENG RD, ZHENJIANG JIANGSU 212132 CN

**D-120**

**Acrylonitrile Butadiene Styrene (ABS), "Polylac", furnished as pellets**

	<b>Min Thk</b>	<b>Flame</b>			<b>RTI</b>	<b>RTI</b>	<b>RTI</b>
<b>Color</b>	<b>(mm)</b>	<b>Class</b>	<b>HWI</b>	<b>HAI</b>	<b>Elec</b>	<b>Imp</b>	<b>Str</b>
<b>ALL</b>	<b>1.5</b>	<b>HB</b>	<b>3</b>	<b>4</b>	<b>60</b>	<b>60</b>	<b>60</b>
	<b>3.0</b>	<b>HB</b>	<b>3</b>	<b>3</b>	<b>60</b>	<b>60</b>	<b>60</b>

Comparative Tracking Index (CTI): **1**

Dimensional Stability (%): -

High-Voltage Arc Tracking Rate (HVTR): **0**

High Volt, Low Current Arc Resis (D495): **7**

Dielectric Strength (kV/mm): -

Volume Resistivity (10<sup>x</sup> ohm-cm): -

ANSI/UL 94 small-scale test data does not pertain to building materials, furnishings and related contents. ANSI/UL 94 small-scale test data is intended solely for determining the flammability of plastic materials used in the components and parts of end-product devices and appliances, where the acceptability of the combination is determined by UL.

Report Date: 2003-11-11

Last Revised: 2009-09-10

Underwriters Laboratories Inc®

